

DEPARTMENT OF HEALTH AND HUMAN SERVICES FOOD AND DRUG ADMINISTRATION					
DISTRICT ADDRESS AND PHONE NUMBER US Customhouse Rm900 2nd & Chestnut St Philadelphia, PA 19106 (215)597-4390 Ext:4200 Fax:(215)597-0875	DATE(S) OF INSPECTION 4/18/2016-4/22/2016 FEI NUMBER 3012124170				
NAME AND TITLE OF INDIVIDUAL TO WHOM REPORT ISSUED Francis H. Ranier , Owner					
FIRM NAME Ranier's Compounding Laboratory	STREET ADDRESS 1107 Lowry Ave Ste A				
CITY, STATE, ZIP CODE, COUNTRY Jeannette, PA 15644-3030	TYPE ESTABLISHMENT INSPECTED Producer of Sterile Drugs				
<p>This document lists observations made by the FDA representative(s) during the inspection of your facility. They are inspectional observations, and do not represent a final Agency determination regarding your compliance. If you have an objection regarding an observation, or have implemented, or plan to implement, corrective action in response to an observation, you may discuss the objection or action with the FDA representative(s) during the inspection or submit this information to FDA at the address above. If you have any questions, please contact FDA at the phone number and address above.</p>					
<p>DURING AN INSPECTION OF YOUR FIRM I OBSERVED: OBSERVATION 1 Procedures designed to prevent microbiological contamination of drug products purporting to be sterile are not established.</p> <p>Specifically,</p> <ol style="list-style-type: none"> 1. Technicians were observed not practicing good aseptic technique while performing aseptic manipulations in the ISO 5 critical area. For example, <ol style="list-style-type: none"> a. On multiple occasions technicians were observed donning sterile gloves inside the ISO 5 hood immediately prior to beginning aseptic processing. b. On 4/18/16, during the production of Amphotericin B Liposome 25mg /6ml Inhalation Solution the technician was observed vigorously shaking product after addition of a (b) (4) to aid in dissolution of lyophilized powder with the gloved index finger covering the stopper. This process was (b) (4) (b) (4) of finished product. No additional sterilization method was observed or documented. Additionally, components were staged in manner requiring the technician to extend arms and upper torso over the stoppered vials. c. Technicians were observed introducing nonsterile components and equipment into the ISO 5 critical zone without disinfecting. Additionally, several components were observed placed in such a manner potentially disrupting the (b) (4) flow of first air. For example, a clear plastic bag used for collected trash was placed up against the face panel providing HEPA filtered air. d. Technicians did not sanitize hands with sterile (b) (4) after touching non-sterile components 					
SEE REVERSE OF THIS PAGE	<table border="1" style="width: 100%;"> <tr> <td style="width: 60%;">EMPLOYEE(S) SIGNATURE Thomas E Friel, Investigator</td> <td style="width: 20%; text-align: right;">DATE ISSUED 4/22/2016 4/22/2016</td> </tr> <tr> <td style="text-align: center;"> <input checked="" type="checkbox"/> Thomas E Friel Thomas E Friel Investigator <small>Signed by: Thomas E. Friel-S</small> </td> <td></td> </tr> </table>	EMPLOYEE(S) SIGNATURE Thomas E Friel, Investigator	DATE ISSUED 4/22/2016 4/22/2016	<input checked="" type="checkbox"/> Thomas E Friel Thomas E Friel Investigator <small>Signed by: Thomas E. Friel-S</small>	
EMPLOYEE(S) SIGNATURE Thomas E Friel, Investigator	DATE ISSUED 4/22/2016 4/22/2016				
<input checked="" type="checkbox"/> Thomas E Friel Thomas E Friel Investigator <small>Signed by: Thomas E. Friel-S</small>					
<p>FORM FDA 483 (09/08) PREVIOUS EDITION OBSOLETE INSPECTIONAL OBSERVATIONS PAGE 1 OF 6 PAGES</p>					

DEPARTMENT OF HEALTH AND HUMAN SERVICES FOOD AND DRUG ADMINISTRATION	
DISTRICT ADDRESS AND PHONE NUMBER US Customhouse Rm900 2nd & Chestnut St Philadelphia, PA 19106 (215)597-4390 Ext:4200 Fax:(215)597-0875	DATE(S) OF INSPECTION 4/18/2016-4/22/2016 FEI NUMBER 3012124170
NAME AND TITLE OF INDIVIDUAL TO WHOM REPORT ISSUED Francis H. Ranier , Owner	
FIRM NAME Ranier's Compounding Laboratory	STREET ADDRESS 1107 Lowry Ave Ste A
CITY, STATE, ZIP CODE, COUNTRY Jeannette, PA 15644-3030	TYPE ESTABLISHMENT INSPECTED Producer of Sterile Drugs

equipment and materials prior to beginning aseptic processing.

- e. On 4/18/16, during the production of Cyclosporin 1% Ophthalmic Drops the technician was observed removing two opened and exposed syringes (one containing (b) (4) and the other Cyclosporine (b) (4) from the ISO 5 hood and held up in the surrounding environment for pharmacist's verification of the fill volume. The final product is subsequently to sterile (b) (4) (b) (4).

OBSERVATION 2

Procedures designed to prevent microbiological contamination of drug products purporting to be sterile do not include adequate validation of the sterilization process.

Specifically,

1. (b) (4) are not used to verify the (b) (4) sterilization (b) (4) to sterilize Medroxyprogesterone Ophthalmic Suspension 1%.
2. The effectiveness of the (b) (4) sterilization (b) (4) sterilize glassware (b) (4) for use in sterile operations has not been verified through the performance of an endotoxin challenge.
3. (b) (4) is not performed on (b) (4) used in the sterile (b) (4) of drug product.
4. There is no evidence that media fills are performed under the most stressful or challenging conditions. The Media-Fill Test Procedure for CSPs Sterilized by (b) (4) provided lacks sufficient detail with respect to technician instruction and materials, components and equipment used

SEE REVERSE OF THIS PAGE	EMPLOYEE(S) SIGNATURE Thomas E Friel, Investigator	4/22/2016	DATE ISSUED 4/22/2016
	X Thomas E Friel Thomas E Friel Investigator Signed by: Thomas E. Friel-S		

DEPARTMENT OF HEALTH AND HUMAN SERVICES FOOD AND DRUG ADMINISTRATION		
DISTRICT ADDRESS AND PHONE NUMBER US Customhouse Rm900 2nd & Chestnut St Philadelphia, PA 19106 (215)597-4390 Ext:4200 Fax:(215)597-0875		DATE(S) OF INSPECTION 4/18/2016-4/22/2016 FEI NUMBER 3012124170
NAME AND TITLE OF INDIVIDUAL TO WHOM REPORT ISSUED Francis H. Ranier , Owner		
FIRM NAME Ranier's Compounding Laboratory	STREET ADDRESS 1107 Lowry Ave Ste A	
CITY, STATE, ZIP CODE, COUNTRY Jeannette, PA 15644-3030	TYPE ESTABLISHMENT INSPECTED Producer of Sterile Drugs	
in the process.		
OBSERVATION 3		
Aseptic processing areas are deficient regarding the system for monitoring environmental conditions.		
Specifically,		
1. Environmental monitoring of surfaces for microbial contamination is not performed on a daily basis after the completion of sterile operations in the ISO 5 area. Your firm only performs such monitoring on a (b) (4) basis. Additionally, it was reported that the ISO 5 critical area is wiped with sterile (b) (4) (b) (4) (b) (4).		
2. Technician's gloves are not monitored for microbial contamination after the completion of sterile operations. Glove tips are monitored on a (b) (4) basis. Additionally, it was reported by that the (b) (4) is only sampled.		
3. Environmental monitoring for non-viable particulates and viable air counts is not performed on a daily basis during routine sterile operations. Such monitoring is performed on a (b) (4) basis (b) (4).		
4. Pressure gauges in the ISO 5 Hood and the ISO 7 Ante Room are not continuously monitored for air pressure differential. Instead personnel perform a (b) (4) of the pressure reading and make a record on the Pressure Gauge Log. Additionally, there is no pressure gauge to monitor the pressure differential between the ISO 7 Ante Room and the outside uncontrolled environment.		
SEE REVERSE OF THIS PAGE	EMPLOYEE(S) SIGNATURE Thomas E Friel, Investigator	DATE ISSUED 4/22/2016 4/22/2016
		<input checked="" type="checkbox"/> Thomas E Friel Thomas E Friel Investigator Signed by: Thomas E. FRIEL-S
FORM FDA 483 (09/08)	PREVIOUS EDITION OBSOLETE	INSPECTIONAL OBSERVATIONS
		PAGE 3 OF 6 PAGES

DEPARTMENT OF HEALTH AND HUMAN SERVICES FOOD AND DRUG ADMINISTRATION	
DISTRICT ADDRESS AND PHONE NUMBER US Customhouse Rm900 2nd & Chestnut St Philadelphia, PA 19106 (215)597-4390 Ext:4200 Fax:(215)597-0875	DATE(S) OF INSPECTION 4/18/2016-4/22/2016 FEI NUMBER 3012124170
NAME AND TITLE OF INDIVIDUAL TO WHOM REPORT ISSUED Francis H. Ranier , Owner	
FIRM NAME Ranier's Compounding Laboratory	STREET ADDRESS 1107 Lowry Ave Ste A
CITY, STATE, ZIP CODE, COUNTRY Jeannette, PA 15644-3030	TYPE ESTABLISHMENT INSPECTED Producer of Sterile Drugs

OBSERVATION 4

Aseptic processing areas are deficient regarding the system for cleaning and disinfecting the room and equipment to produce aseptic conditions.

Specifically,

1. The firm does not use a sporicidal agent to disinfect the clean room including the ISO 5 area. (b) (4) cleaning of the ISO 5 critical areas consists of Sterile (b) (4).
2. On 4/17/16, a spray bottle labeled (b) (4) was observed on a cart in the clean room. The firm reported that the spray bottle contains (b) (4) used during sterile operations in the ISO 5 area. The spray bottle is non-sterile but sanitized using sterile (b) (4) (b) (4) prior to the addition of (b) (4). On 4/20/16, the spray bottle was observed inside the ISO 5 critical area being used by the technician to wet a non-sterile towel to wipe residue from the pH meter during the compounding of Lipoic Acid 25mg/ml INJ Solution (batch 41915-2CR).
4. Non-sterile lint free wipes are used by the firm to clean and disinfect the ISO 5 hood.
3. White spotty residue was observed on the ISO 5 aseptic hood (b) (4)

OBSERVATION 5

Clothing of personnel engaged in the processing of drug products is not appropriate for the duties they perform.

SEE REVERSE OF THIS PAGE	EMPLOYEE(S) SIGNATURE Thomas E Friel, Investigator	DATE ISSUED 4/22/2016 4/22/2016
		X Thomas E Friel Thomas E Friel Investigator Signed by: THOMAS E. FRIEL

DEPARTMENT OF HEALTH AND HUMAN SERVICES FOOD AND DRUG ADMINISTRATION					
DISTRICT ADDRESS AND PHONE NUMBER US Customhouse Rm900 2nd & Chestnut St Philadelphia, PA 19106 (215)597-4390 Ext:4200 Fax: (215)597-0875	DATE(S) OF INSPECTION 4/18/2016-4/22/2016 FEI NUMBER 3012124170				
NAME AND TITLE OF INDIVIDUAL TO WHOM REPORT ISSUED Francis H. Ranier , Owner					
FIRM NAME Ranier's Compounding Laboratory	STREET ADDRESS 1107 Lowry Ave Ste A				
CITY, STATE, ZIP CODE, COUNTRY Jeannette, PA 15644-3030	TYPE ESTABLISHMENT INSPECTED Producer of Sterile Drugs				
<p>Specifically,</p> <p>Gowns/coveralls, facemasks and bouffant hair nets worn by operators working inside ISO 5 zones are not sterile. Additionally, the technician's face and neck are not fully covered allowing exposed facial skin and hair over the ISO 5 critical area.</p>					
<p>OBSERVATION 6</p> <p>Each batch of drug product purporting to be sterile and pyrogen-free is not laboratory tested to determine conformance to such requirements.</p> <p>Specifically,</p> <p>Finished product is not tested for sterility and/or endotoxin. According to the firm, sterility and/or endotoxin testing is only performed (b) (4) . For example,</p> <ol style="list-style-type: none"> 1. Lipoic Acid 25mg/ml INJ Solution (batch # 041916-2CR) beyond use date of 5/19/16 (30 days) was dispensed without sterility and/or endotoxin testing. 2. Hydrochloric Acid 2.0mg/ml preservative free INJ Solution (batch # 030915-6CR) beyond use date of 4/18/16 (30 days) was dispensed without sterility and/or endotoxin testing. 					
<p>OBSERVATION 7</p> <p>There is no written testing program designed to assess the stability characteristics of drug products.</p> <p>Specifically,</p> <p>No studies have been conducted to evaluate the characteristics of drug product for the beyond use dates assigned. For example,</p> <ol style="list-style-type: none"> 1. Lipoic Acid 25mg/ml INJ Solution (batch # 041916-2CR) beyond use date of 5/19/16 (30 days). 					
SEE REVERSE OF THIS PAGE	<table border="1" style="width: 100%;"> <tr> <td style="width: 60%;">EMPLOYEE(S) SIGNATURE Thomas E Friel, Investigator</td> <td style="width: 40%; text-align: right;">DATE ISSUED 4/22/2016 4/22/2016</td> </tr> <tr> <td style="text-align: center;"> <input checked="" type="checkbox"/> Thomas E Friel <small>Thomas E Friel Investigator Signed by: Thomas E. Friel-S</small> </td> <td></td> </tr> </table>	EMPLOYEE(S) SIGNATURE Thomas E Friel, Investigator	DATE ISSUED 4/22/2016 4/22/2016	<input checked="" type="checkbox"/> Thomas E Friel <small>Thomas E Friel Investigator Signed by: Thomas E. Friel-S</small>	
EMPLOYEE(S) SIGNATURE Thomas E Friel, Investigator	DATE ISSUED 4/22/2016 4/22/2016				
<input checked="" type="checkbox"/> Thomas E Friel <small>Thomas E Friel Investigator Signed by: Thomas E. Friel-S</small>					
<p>FORM FDA 483 (09/08) PREVIOUS EDITION OBSOLETE INSPECTIONAL OBSERVATIONS PAGE 5 OF 6 PAGES</p>					

DEPARTMENT OF HEALTH AND HUMAN SERVICES FOOD AND DRUG ADMINISTRATION			
DISTRICT ADDRESS AND PHONE NUMBER US Customhouse Rm900 2nd & Chestnut St Philadelphia, PA 19106 (215) 597-4390 Ext:4200 Fax: (215) 597-0875		DATE(S) OF INSPECTION 4/18/2016-4/22/2016	
		FEI NUMBER 3012124170	
NAME AND TITLE OF INDIVIDUAL TO WHOM REPORT ISSUED Francis H. Ranier , Owner			
FIRM NAME Ranier's Compounding Laboratory		STREET ADDRESS 1107 Lowry Ave Ste A	
CITY, STATE, ZIP CODE, COUNTRY Jeannette, PA 15644-3030		TYPE ESTABLISHMENT INSPECTED Producer of Sterile Drugs	
<p>2. Hydrochloric Acid 2.0mg/ml preservative free INJ Solution (batch # 030915-6CR) beyond use date of 4/18/16 (30 days)</p> <p>3. Thiamine HCl 100mg/ml Injectable (batch # 032916-4CR)) beyond use date of 6/27/16 (90 days).</p>			
SEE REVERSE OF THIS PAGE	EMPLOYEE(S) SIGNATURE Thomas E Friel, Investigator		DATE ISSUED 4/22/2016
		<input checked="" type="checkbox"/> Thomas E Friel <small>Thomas E Friel Investigator Signed by: Thomas E. Friel-S</small>	
FORM FDA 483 (09/08)		INSPECTIONAL OBSERVATIONS	
PREVIOUS EDITION OBSOLETE		PAGE 6 OF 6 PAGES	